

Material Safety Data Sheet

MEDICAL EMERGENCY ONLY: 1-800-255-3924

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: W-200 High Pressure Spray Wax

PRODUCT DESCRIPTION: AUTOMOTIVE SPRAY WAX FOR HIGH PRESSURE WASHERS

DATE PREPARED: March 1, 2010

SUPPLIER NAME AND ADDRESS: POWERWASH.COM
2513 WARFIELD, FT. WORTH, TEXAS 76106-7554

SUPPLIER PHONE: U.S./CANADA WATS: 800-433-2113, FAX: 817-625-2059,
LOCAL: 817-625-4213

EMERGENCY PHONE: CHEM-TEL, INC. 800-255-3924 (24 HOURS)

HAZARD CLASS: LEAST = 0; SLIGHT = 1; MODERATE = 2; HIGH = 3; EXTREME = 4

1.3 HAZARD RATING: ACUTE HEALTH - 0; FIRE - 0; REACTIVITY - 0

(SEE SECTION 7 FOR ADDITIONAL INFORMATION)

2.0 HAZARDOUS COMPONENTS/

	<u>CAS#</u>	TLV <u>%</u>	(MG/M3) <u>PEL</u>	<u>OTHER</u>
2.1 PETROLEUM DISTILLATES, HYDROTREATED	64742-47-8	<20	NONE	UNK
2.2 GLYCOL ETHER EB	111-76-2	<4.5	25 PPM	UNK

THIS PRODUCT CONTAINS NO OTHER COMPONENT CONSIDERED HAZARDOUS
ACCORDING TO THE CRITERIA OF 29 CFR 1910.1200.

3.0 PHYSICAL DATA/

3.1 APPEARANCE AND ODOR: RED OR BLUE LIQUID WITH LEMON ODOR

3.2 SOLUBILITY IN WATER: COMPLETE

3.3 PH: 100% = 7.0 TO 7.5

3.4 BOILING POINT: UNK

SPECIFIC GRAVITY: 8.5 LBS PER GAL.

3.5 VAPOR DENSITY: UNK

EVAPORATION RATE: UNK

4.0 FIRE AND EXPLOSION DATA/

4.1 SPECIAL FIRE HAZARDS: NONE

4.2 FIRE FIGHTING METHODS: STANDARD AGENTS

4.3 FLASH POINT: UNK

4.4 FLAMMABLE LIMITS - LOWER: UNK UPPER: UNK

5.0 REACTIVITY DATA/

5.1 STABILITY: STABLE UNDER NORMAL CONDITIONS OF HANDLING

5.2 CONDITIONS TO AVOID: KEEP PRODUCT FROM FREEZING

6.0 SPILL OR LEAK PROCEDURES/

USE PROPER PROTECTIVE EQUIPMENT

- 6.1 CLEANUP: MAXIMIZE VENTILATION. DIKE OR DAM LARGE SPILLS. RECOVER IF POSSIBLE. ADD ADSORBENT MATERIAL TO SOAK UP LIQUID. RINSE AREA THOROUGHLY WITH WATER.
- 6.2 WASTE DISPOSAL: CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE.
-

7.0 HEALTH HAZARD DATA/ DANGER

7.1 EFFECTS OF OVEREXPOSURE:

EYES:

CAUSES IRRITATION, LOSS OF NATURAL LUBRICATION.

SKIN:

PROLONGED CONTACT MAY DEFAT SKIN, LEADING TO IRRITATION AND DERMATITIS.

IF SWALLOWED:

HARMFUL IF SWALLOWED.

IF INHALED:

MAY IRRITATE MUCOSAL MEMBRANES. UNDER RECOMMENDED CONDITIONS, VAPOR LEVEL WILL BE TOO LOW TO PRESENT INHALATION HAZARD.

8.0 FIRST AID/

8.1 EYES:

FLUSH EYES IMMEDIATELY WITH PLENTY OF COOL RUNNING WATER. REMOVE CONTACT LENSES. CONTINUE FLUSHING FOR 15 MINUTES HOLDING EYE LIDS OPEN.

8.2 SKIN:

FLUSH SKIN WITH PLENTY OF COOL RUNNING WATER. WASH THOROUGHLY WITH SOAP AND WATER.

8.3 IF SWALLOWED:

RINSE MOUTH; THEN DRINK 1 OR 2 LARGE GLASSES OF WATER. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

8.4 IF INHALED:

MOVE IMMEDIATELY TO FRESH AIR; IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN.

IF SWALLOWED OR IN CASE OF PERSISTENT EYE OR SKIN IRRITATION, CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

9.0 SPECIAL PROTECTION INFORMATION /

9.1 EYES: NOT REQUIRED BUT RECOMMENDED.

9.2 SKIN: NOT REQUIRED BUT RECOMMENDED.

10.0 ADDITIONAL INFORMATION/PRECAUTIONS /

10.0 DOT CLASS: NOT DOT REGULATED.

KEEP OUT OF REACH OF CHILDREN

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

Abbreviations:

UNK = UNKNOWN AT THIS TIME

PEL= PERMISSIBLE EXPOSURE LIMIT

TLV = THRESHOLD LIMIT VALUE

STEL = SHORT TERM EXPOSURE LEVEL

C =

CEILING LIMIT, NOT TO BE
EXCEEDED